

eco
GARAGE
DOORS
welcome home



AUSTRALIAN
MADE AND OWNED


welcome home

ECOGARAGEDOORS continue to remain an Australian and family owned garage door manufacturer selling direct to the public, builders and resellers across the country. Offering superior quality garage door solutions via our state-of-the-art Australian Made roll-form machinery. Every garage door is custom made to your specifications.

ECOGARAGEDOORS is pleased to introduce **MADE BY ECO** componentry with our **SwiFit® Design Studio**. **ECO SwiFit® Design Studio** is an industry leading initiative to support the future of design, innovation and manufacturing in Australia. Lead by our in-house engineering department and tested in-house by our R&D team, we ensure all of our released products are **SAFE, STRONG & RELIABLE**.

Buying direct from a manufacturer and using our unique purpose-built software, **ECOGARAGEDOORS** are industry leaders in lead times. It has never been easier or quicker to buy and install a new garage door!

SAFE | RELIABLE | TRUSTED



New
SWIFIT®
 Design Studio
 Made by Eco Garage Doors
 Scan for more



At Eco Garage Doors we reduce our environmental footprint by implementing the latest packaging methods to reduce waste and energy saving conservation via company operations and products to the consumer. We also deliberately choose suppliers who share our environmental values.



Panel Lift-Safe GARAGEDOORS



Manufactured by Eco Garage Doors
SAFE | STRONG | RELIABLE

Eco Garage Doors Panel Lift-Safe garage doors (sectional garage doors) are manufactured locally at our Melbourne facility with our Australian made, state of the art roll-forming machine. The sectional garage door is available in four styles ranging from Lincoln, Slimline, Classic and the Ultraline profile. Constructed with genuine 0.6mm gauge COLORBOND® steel made by Bluescope, the Panel Lift-Safe garage door is offered in a range of custom colours and timber look finishes to compliment the façade of any home.

Doors shown are in a woodgrain texture.

Finger protection
All our garage doors have a standard finger safe technology. Each panel is curved and interlocks to protect fingers from becoming trapped in the sections.

features our New SWIFT® Design Studio components
Made by Eco Garage Doors
Scan for more

Manufactured IN AUSTRALIA
FOR MAXIMUM SAFETY & PROTECTION

Balanced panels
Each door is made to measure with symmetrical panels ensuring smooth operation every time!

Made with BLUESCOPE 0.6MM GAUGE G2NS STEEL


Tough Rail & Weather Seal
Fitted with heavy duty bottom rail & durable ECO PVC weather seal.

Main image: Ultraline – Portabella Finish, Golden Oak

Premium upgrade options:

- Powder coated hardware
- Brush seals
- Opener upgrades
- PE beams

Available windows



Colorbond® Standard colours

| | | | | | | | | |
|-------------|-----------|---------------|----------------|----------------|-----------|------------|-------------|----------|
| DOVER WHITE | SURFMIST® | EVENING HAZE® | CLASSIC CREAM™ | PAPERBARK® | DUNE® | SOUTHERLY® | SHALE GREY™ | BLUEGUM® |
| WINDSPRAY® | JASPER® | WALLABY® | BASALT® | WOODLAND GREY® | MONUMENT® | NIGHT SKY® | IRONSTONE® | |

Non Standard colours

| | | | | | | |
|-------|--------|----------------|----------------|------------|----------|-------------|
| COVE® | GULLY® | PALE EUCALYPT® | COTTAGE GREEN® | MANOR RED® | TERRAIN® | DEEP OCEAN® |
|-------|--------|----------------|----------------|------------|----------|-------------|

PORTABELLA PREMIUM TIMBER FINISH

| | | | | | |
|---------------|------------|----------------|---------------------------|--------------|----------------|
| GREY IRONBARK | GOLDEN OAK | KNOTTED WALNUT | Timber Grain Flexographic | CAOBA DAWN | CLASSIC CEDAR |
| EUROPEAN OAK | RED GUM | AFRICAN EBONY | Vivid White | VIVID WHITE* | CUSTOM COLOURS |

ESSENCE TIMBER FINISH - UniCote LUX

| | | |
|---------------|------------------|--------------|
| VICTORIAN ASH | AUSTRALIAN BEECH | RED MAHOGANY |
|---------------|------------------|--------------|

^ Non standard colour includes surcharge (some colours may be provided in paint finish)
* Vivid White is a painted finish.

Insulated Sectional GARAGEDOORS

- Custom colours
- 30,000 Spring cycle
- Finger protection
- Whisper quiet
- Smooth operation
- High Strength

A QUIETER ECO FRIENDLY OPTION FEATURING A THREE LAYER, HIGH DENSITY POLYURETHANE PANELLING SYSTEM



THE **eco** EDGE

- Finger protection technology**
Designed to keep fingers safe.
- European design**
- Insulated panel**
Optimal thermal protection designed to keep the heat in and offer energy savings with added durability.
- Mean thermal resistance (R Value) of 1.53m².K/W+18%**
Increase the longevity of your internal climate.
- Reduces Noise**
Reduces up to 75% of noises from entering or leaving the garage.
- POLYESTER RESIN INJECTED FOAM PANELLING SYSTEM**

features our New
SWIFIT[®]
Design Studio components
Made by Eco Garage Doors
Scan for more

TIP : Turn your garage into a home office, workshop or gym.

Maximum strength & protection
Won't sag, buckle or deteriorate over time, delivering a timeless investment to any property.

Energy saving
Cuts energy costs and saves you money by reducing thermal exchange in your home.

Noise cancellation
Reduce noise from entering or escaping your garage.

Custom colour matching
Colour match your door to any colour to create a whole new look that nobody has seen before.

Tough Rail & Weather Seal
Fitted with heavy duty bottom rail & durable ECO PVC weather seal.



Main image: Ribline – Vivid white
Image credit: Customer designed and built by Carter Grange

Premium upgrade options:

- Powder coated hardware
- Brush seals
- Opener upgrades
- PE safety beams

Available windows

- Colonial*
- Stanford – plain*
- Porthole*
- Sunrise*



Colorbond[®]

Standard colours

| | | | | | | | | |
|------------------------|-----------------------|---------------------------|----------------------------|----------------------------|-----------------------|------------------------|-------------------------|----------------------|
| DOVER WHITE | SURFMIST [®] | EVENING HAZE [®] | CLASSIC CREAM [™] | PAPERBARK [®] | DUNE [®] | SOUTHERLY [®] | SHALE GREY [™] | BLUEGUM [®] |
| WINDSPRAY [®] | JASPER [®] | WALLABY [®] | BASALT [®] | WOODLAND GREY [®] | MONUMENT [®] | NIGHT SKY [®] | IRONSTONE [®] | |

Non Standard colours

| | | | | | | |
|-------------------|--------------------|----------------------------|----------------------------|------------------------|----------------------|-------------------------|
| COVE [™] | GULLY [™] | PALE EUCALYPT [™] | COTTAGE GREEN [™] | MANOR RED [™] | TERRAIN [™] | DEEP OCEAN [™] |
|-------------------|--------------------|----------------------------|----------------------------|------------------------|----------------------|-------------------------|

Metal FX

| | |
|---------------|-----------------------|
| GUNMETAL GREY | PRECIOUS SILVER PEARL |
|---------------|-----------------------|

Vivid White

| | |
|--------------------------|----------------|
| VIVID WHITE [™] | CUSTOM COLOURS |
|--------------------------|----------------|

*contact us for available insert colours

^ Non-standard colour includes surcharge (some colours may be provided in paint finish) * Vivid White is a painted finish.

Custom GARAGEDOORS



Our stunning range of custom sectional garage doors are architecturally designed to provide a bespoke solution to your homes façade. Providing sleek, contemporary designs with hundreds of powder coat colours and materials to choose from.

THE POSSIBILITIES ARE ENDLESS.

Features our New

SWIFT®
Design Studio components
Made by Eco Garage Doors

Scan for more



Alumicomp

Choose from a broad range of colours in aluminium composite panelling. Available in both Matt and Gloss finish with custom design configurations.

Alumicomp – White Satin cladding with black negative rebate

Eco engineered to deliver a flawless consistent smooth panel

Design your own

Our experienced team will design, engineer and construct a garage door to cater for any project.

Tranquilo

Smooth, minimalistic contemporary design. Engineered to be the smoothest, flattest, blemish free panel on the Australian market. Choose from hundreds of powder coat colours in the finish of your choice.

Tranquilo panel – Pearl White

Tranquilo panel – Night Sky®, satin



Engineered & manufactured at our Australian manufacturing facility by our experienced team

Alumalite

Choose from a wide selection of inserts to create a customised look to suit your home.

Alumalite – Ice acrylic inserts, Monument® matt black frame

Premium upgrade options:

- Powder coated hardware
- Brush seals
- Opener upgrades

Alumalite (right) – Hampton with grey tint acrylic windows across top panel, Pearl White frame and inserts

EXO ROLL™ ROLLER GARAGE DOOR

with **SWIFIT®** Design Studio
Designed by Eco Garage Doors



Introducing the ExoRoll™ Roller Garage Door. Combining engineering genius with manufacturing excellence, Eco Garage Doors have designed a roller garage door that will last for years.

The ExoRoll™ Roller Garage Doors is made with our patented SwiFit® technology. The SwiFit® design has been engineered and tested by our innovative in-house R&D Design Studio, delivering a roller garage door with industry leading made components, encompassing strength, rigidity, safety and aesthetic appeal that will surpass the length of time.

Key features of the ExoRoll™ Roller Garage Door:

- Australian designed and manufactured
- Made on state of the art, dual layer, roll form machine
- Superior deep profile rigid design
- Safe guides
- Australian made, high quality internal spring system
- Colorbond® steel finish
- Eco-friendly package
- SwiFit® Design Studio technology



features our New
SWIFIT® Design Studio
Made by Eco Garage Doors

Our SwiFit® Design Studio includes:

- ePro-Felt™**
Multilayer Frictionless Rolling and Sliding system
- eLok-Seam™**
Seamless Panel locking System
- eOrbital™**
Duplex Track Rollers
- eSafe-Guide™**
Patented Finger Safe Lead-in Guide system
- eClick-Fix™**
Easy Clip & Slide Fixing system

Scan for more



Main image: ExoRoll™ Roller garage door – eS series, Monument®



Recommended opener

eco PRECISION DRIVE RDO

To compliment your roller door the Eco Precision Drive RDO offers a powerful 800N Pull force delivering a smooth, quiet and reliable operation every time.

Colorbond®



PORTABELLA

PREMIUM TIMBER FINISH



ENGINEERED WITH ADVANCED PVC PRE-COATED STEEL DELIVERING A REAL TIMBER LOOK & FEEL

LOCALLY MANUFACTURED AND EXCLUSIVE TO **ecogaragedoors**

AVAILABLE PROFILES

Panel lift-safe GARAGEDOORS

- Slimline – Textured or Woodgrain texture
- Ultraline – Woodgrain texture
- Classic panel – Woodgrain texture
- Lincoln Panel – Woodgrain texture



COLOUR OPTIONS



ESSENCE

TIMBER FINISH by **UniCote LUX**




HOT DIPPED ALUMINIUM/ZINC ALLOY COATED STEEL WITH POLYESTER OUTER COATING

AVAILABLE PROFILES

Panel lift-safe GARAGEDOORS

- Slimline – Textured / Woodgrain texture
- Ultraline – Woodgrain texture
- Classic panel – Woodgrain texture
- Lincoln panel – Woodgrain texture



COLOUR OPTIONS



eco RESIDENTIAL 1000N SDO



MOST POPULAR OPENER

- 2.4m – 3.5m max height
- 1000N Max pull force
- Auto close function (max. 135 sec)
- 160mm p/sec open & close speed
- Soft start & soft close
- 433.2MHz radio frequency
- Secure rolling code frequency
- Battery backup available
- Wi-Fi upgrade option available
- Chain drive system (Belt drive option available[^])

Remote Handset
EC04



ECO H^{SDO} LIGHT COMMERCIAL

Heavy Duty Sectional Door Opener



EXTRUDED HEAVY DUTY RAIL



OUR POWERFUL SECTIONAL DOOR OPENER

- 2.4m – 5.0m max height
- Max door are 25m²
- 1500N Max pull force
- Auto close function (max. 135 sec)
- 190mm p/sec open & close speed with variable speed
- Commercial heavy duty openere rail (powder coated black)
- Fire and security logic (car park ready)
- Maintenance alarm setting
- Partial open/height setting
- Soft start & soft close
- Battery backup available (built in assembly)
- LED off delay time setting
- 433.2MHz radio frequency
- Secure rolling code frequency
- Extended range handsets
- Wi-Fi upgrade option available
- Chain drive system (Belt drive option available[^])

Remote Handset
EC05



Residential Accessories



2 x EC04 remote with each opener




EC05 (extended range handset)[^]



Wall switch[^]



Vehicle sun visor remote[^]



PE safety beams[^]



Wireless keypad[^]



Emergency key release

[^]Optional extra


Commercial GARAGEDOORS

-  Industrial strength aluminium
-  Powder Coat
-  Custom Spring life cycle
-  Smooth operation

MADE BY ECO COMMERCIAL DIVISION

Our commercial range of garage doors are custom designed and engineered to infuse form, function and strength to your commercial premises.

Carpark Upgrade
 Customised solutions to suit low and high cycle carpark requirements.



Peralite 71% (with custom head and side panels)




19mm welded horizontal bar panel




50x50 RHS vertical aluminum batten

sectional commercial doors
 Engineered to the architectural requirements of your premises delivering strength and reliability.
 Designs are customised for each project delivering up to 90% open air.



Peralite 71% (with custom head and side panels)



100 x 100 RHS vertical aluminum batten



Peralite 71%




INTERLOCKING 75MM AND 100MM SLATS, CONSTRUCTED FROM GALVANISED G300 BLUESCOPE STEEL WITH Z275 ZINC COATING AND ROLL-FORMED IN-HOUSE BY ECO.

Corrosion protection

Curtains are made of galvanised G300 steel with Z275 zinc coating. All steel components, including drum assemblies, guides and brackets, are either galvanised or zinc oxide primed.* All geared shutters have fully electroplated chains. Slats are self-draining.

* Excludes Mounting Brackets and Sprockets. ^ Axle Tube and Drum are primed black



Electric operation

An ECO HD Industrial electric opener can be fitted to any roller shutter. Openers feature travel electronic limit switches, wall-mounted control box with thermal overload sensors, oil-filled heavy duty worm drive gearbox with emergency hand chain operation in case of power failure. Motors are three-phase or single-phase to suit power supply. Optional remote controls, card readers and key switches are also available.

Wind-lock end clips and guides

Moulded nylon end clips ensure smooth, low friction operation, and can be readily replaced if damaged or worn. Standard nylon end-clips are fitted to every second slat in all shutters, except wind-locked models.

For areas subject to high wind conditions, or for very wide openings, 75mm or 100mm shutters should be fitted with malleable cast iron wind-lock end-clips and steel wind-lock guides. Wind-lock clips prevent the curtain disengaging from the guides under wind pressure.




Powder coated finish


Optional powder coated factory finish with choice of 100's colours. Powder coat is more than twice the thickness of the average paint film and provides a long-wearing and durable finish.

Image: Roller Shutter – Monument®

Perforated




Slotted



Ventilation

Shutters can be pre-punched or perforated to provide ventilation for applications such as shops and car parks. Slotted slats provide 11% maximum ventilation, while perforated slats achieve 30% ventilation.



Weather Seal

Special ECO heavy-duty rubber to seal the bottom rail against rain, leaves and dust.

Bottom rails

Heavy-duty extruded aluminium bottom rail





MELBOURNE (HEAD OFFICE)

181-183 Frankston-Dandenong Rd,
Dandenong South Vic 3175

PO Box 4164, Dandenong South Vic 3175

t: (03) 9703 1500

SYDNEY

Unit 6, 72 Lasso Road,
Gregory Hills NSW 2557

t: (02) 8417 8117

e: sales@ecogaragedoors.com.au

www.ecogaragedoors.com.au



All colour swatches and images shown on Eco Garage Doors website and brochure have been reproduced to represent actual product colours as accurately as possible. We recommend checking your chosen colour against an actual sample of the product before purchasing as varying light conditions and limitations of the printing process may affect colour tones. SwiFit® is a registered trademark of Eco Garage Doors Pty Ltd. ExoRoll™, ePro-Felt™, eLok-Seam™, eOrbital™, eSafe-Guide™, eClick-Fix™ are trademarks of Eco Garage Doors Pty Ltd. COLORBOND®, BlueScope and @ colour names are registered trademarks of BlueScope Steel Limited.™ colour names are trademarks of BlueScope Steel Limited. UniCote® is a registered trademark of Selection Steel. All our garage doors are supplied and installed with a trademarked badge. Woodgrain texture have an embossed finish. ©Copyright Eco Garage Doors 2023. All rights reserved.

